

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2021-03

TUS REPORT : RP-2021-23

TEST DATE : 8-Nov-2021

|                            |               |                                      |   |
|----------------------------|---------------|--------------------------------------|---|
| Society                    |               | F.III Gandossi Acciaierie Elettriche |   |
| Head Office                |               | 24027 - Nembro (Bg) - Via Roma, 23   |   |
| Furnace ID                 | <b>F1</b>     | Furnace Type                         | <b>CHAMBER FURNACE</b>                              |
| Furnace Chamber Dimensions |               | <b>2800 x 3700 x 2300 H</b>          |   |
| Furnace Working Zone (*)   |               | <b>1800 x 3200 x 1500 H</b>          |   |
| Maximum Load Capacity      |               | <b>15 t</b>                          |   |
| Test Frequency             | <b>ANNUAL</b> | Internal Test Procedure              | <b>Procedura prova uniformità ASTM A991 (IO-04)</b> |

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**ASTM A991M - 10**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1240,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 7-Nov-2022

## NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required

(\*\*) This TUS was conducted also in conformity to the Annex B requirements of Norsok M-650 4th ed.



Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S09

24060 - Sovere (Bg) - Viale Delle Industrie, 1 - Phone (00)39-035-966500 - Fax (00)39-035-966550

[set.elti@gfelti.com](mailto:set.elti@gfelti.com)

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2021-03

TUS REPORT : RP-2021-23

TEST DATE : 8-Nov-2021

|                            |               |                                      |  |
|----------------------------|---------------|--------------------------------------|--|
| Society                    |               | F.III Gandossi Acciaierie Elettriche |  |
| Head Office                |               | 24027 - Nembro (Bg) - Via Roma, 23   |  |
| Furnace ID                 | <b>F1</b>     | Furnace Type                         | <b>CHAMBER FURNACE</b>                           |
| Furnace Chamber Dimensions |               | <b>2800 x 3700 x 2300 H</b>          |  |
| Furnace Working Zone (*)   |               | <b>1800 x 3200 x 1500 H</b>          |  |
| Maximum Load Capacity      |               | <b>15 t</b>                          |  |
| Test Frequency             | <b>ANNUAL</b> | Internal Test Procedure              | <b>Procedura prova uniformità API 6D (IO-02)</b> |

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6D, 24th Ed. - Annex F**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1240,0°C (± 13,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 7-Nov-2022

## NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required



Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S09

24060 - Sovere (Bg) - Viale Delle Industrie, 1 - Phone (00)39-035-966500 - Fax (00)39-035-966550

[set.elti@gfelti.com](mailto:set.elti@gfelti.com)



## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2021-03

TUS REPORT : RP-2021-23

TEST DATE : 8-Nov-2021

|                            |               |                                      |  |
|----------------------------|---------------|--------------------------------------|--|
| Society                    |               | F.Ili Gandossi Acciaierie Elettriche |  |
| Head Office                |               | 24027 - Nembro (Bg) - Via Roma, 23   |  |
| Furnace ID                 | <b>F1</b>     | Furnace Type                         | <b>CHAMBER FURNACE</b>                           |
| Furnace Chamber Dimensions |               | <b>2800 x 3700 x 2300 H</b>          |  |
| Furnace Working Zone (*)   |               | <b>1800 x 3200 x 1500 H</b>          |  |
| Maximum Load Capacity      |               | <b>15 t</b>                          |  |
| Test Frequency             | <b>ANNUAL</b> | Internal Test Procedure              | <b>Procedura prova uniformità API 6A (IO-02)</b> |

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6A, 21st Ed. - Annex M**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1240,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 7-Nov-2022

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required



Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S09

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2021-02

TUS REPORT : RP-2021-22

TEST DATE : 6-Nov-2021

|                            |               |                                      |   |
|----------------------------|---------------|--------------------------------------|---|
| Society                    |               | F.Ili Gandossi Acciaierie Elettriche |   |
| Head Office                |               | 24027 - Nembro (Bg) - Via Roma, 23   |   |
| Furnace ID                 | <b>F2</b>     | Furnace Type                         | <b>CHAMBER FURNACE</b>                              |
| Furnace Chamber Dimensions |               | 2800 x 3700 x 2300 H                 |   |
| Furnace Working Zone (*)   |               | 1800 x 3200 x 1500 H                 |   |
| Maximum Load Capacity      |               | 15 t                                 |   |
| Test Frequency             | <b>ANNUAL</b> | Internal Test Procedure              | <b>Procedura prova uniformità ASTM A991 (IO-04)</b> |

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**ASTM A991M - 10**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1150,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 5-Nov-2022

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required

(\*\*) This TUS was conducted also in conformity to the Annex B requirements of Norsok M-650 4th ed.

JOB REF. : C/G4166S09



Approved by:  
(GF-ELTI Srl)



## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2021-02

TUS REPORT : RP-2021-22

TEST DATE : 6-Nov-2021

|                            |               |                                      |  |
|----------------------------|---------------|--------------------------------------|--|
| Society                    |               | F.III Gandossi Acciaierie Elettriche |  |
| Head Office                |               | 24027 - Nembro (Bg) - Via Roma, 23   |  |
| Furnace ID                 | <b>F2</b>     | Furnace Type                         | <b>CHAMBER FURNACE</b>                           |
| Furnace Chamber Dimensions |               | <b>2800 x 3700 x 2300 H</b>          |  |
| Furnace Working Zone (*)   |               | <b>1800 x 3200 x 1500 H</b>          |  |
| Maximum Load Capacity      |               | <b>15 t</b>                          |  |
| Test Frequency             | <b>ANNUAL</b> | Internal Test Procedure              | <b>Procedura prova uniformità API 6D (IO-02)</b> |

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6D, 24th Ed. - Annex F**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1150,0°C (± 13,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 5-Nov-2022

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required



Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S09

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2021-02

TUS REPORT : RP-2021-22

TEST DATE : 6-Nov-2021

|                            |               |                                      |  |
|----------------------------|---------------|--------------------------------------|--|
| Society                    |               | F.lli Gandossi Acciaierie Elettriche |  |
| Head Office                |               | 24027 - Nembro (Bg) - Via Roma, 23   |  |
| Furnace ID                 | <b>F2</b>     | Furnace Type                         | <b>CHAMBER FURNACE</b>                           |
| Furnace Chamber Dimensions |               | 2800 x 3700 x 2300 H                 |  |
| Furnace Working Zone (*)   |               | 1800 x 3200 x 1500 H                 |  |
| Maximum Load Capacity      |               | 15 t                                 |  |
| Test Frequency             | <b>ANNUAL</b> | Internal Test Procedure              | <b>Procedura prova uniformità API 6A (IO-02)</b> |

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6A, 21st Ed. - Annex M**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1150,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 5-Nov-2022

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required



Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S09



## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2022-01

TUS REPORT : RP-2022-04

TEST DATE : 5-Feb-2022

|                            |        |                                      |   |
|----------------------------|--------|--------------------------------------|---|
| Society                    |        | F.III Gandossi Acciaierie Elettriche |   |
| Head Office                |        | 24027 - Nembro (Bg) - Via Roma, 23   |   |
| Furnace ID                 | F3     | Furnace Type                         | CHARIOT FURNACE                           |
| Furnace Chamber Dimensions |        | 3130 x 5950 x 2300 H                 |   |
| Furnace Working Zone (*)   |        | 2630 x 5450 x 1600 H                 |   |
| Maximum Load Capacity      |        | 40 t                                 |   |
| Test Frequency             | ANNUAL | Internal Test Procedure              | Procedura prova uniformità API 6A (IO-02) |

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6A, 21st Ed. - Annex M**

IN THE TEMPERATURE RANGE: 550,0 ÷ 950,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 550,0 ÷ 750,0°C (± 8,0°C)

DECLARATION EXPIRY : 4-Feb-2023

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 400 mm high, are required

Approved by:  
(GF-ELTI Srl)



JOB REF. : E4005S13

24060 - Sovere (Bg) - Viale Delle Industrie, 1 - Phone (00)39-035-966500 - Fax (00)39-035-966550  
[set.elti@gfelti.com](mailto:set.elti@gfelti.com)



## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2022-01

TUS REPORT : RP-2022-04

TEST DATE : 5-Feb-2022

|                            |               |                                      |  |
|----------------------------|---------------|--------------------------------------|--|
| Society                    |               | F.Ili Gandossi Acciaierie Elettriche |  |
| Head Office                |               | 24027 - Nembro (Bg) - Via Roma, 23   |  |
| Furnace ID                 | <b>F3</b>     | Furnace Type                         | <b>CHARIOT FURNACE</b>                           |
| Furnace Chamber Dimensions |               | <b>3130 x 5950 x 2300 H</b>          |  |
| Furnace Working Zone (*)   |               | <b>2630 x 5450 x 1600 H</b>          |  |
| Maximum Load Capacity      |               | <b>40 t</b>                          |  |
| Test Frequency             | <b>ANNUAL</b> | Internal Test Procedure              | <b>Procedura prova uniformità API 6D (IO-02)</b> |

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6D, 24th Ed. - Annex F**

IN THE TEMPERATURE RANGE: 550,0 ÷ 950,0°C (± 13,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 550,0 ÷ 750,0°C (± 8,0°C)

DECLARATION EXPIRY : 4-Feb-2023

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 400 mm high, are required

Approved by:  
(GF-ELTI Srl)

JOB REF. : E4005S13

24060 - Sovere (Bg) - Viale Delle Industrie, 1 - Phone (00)39-035-966500 - Fax (00)39-035-966550

[set.elti@gfelti.com](mailto:set.elti@gfelti.com)

