

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2023-03

TUS REPORT : RP-2023-27

TEST DATE : 4-Nov-2023

Society		F.lli Gandossi Acciaierie Elettriche	
Head Office		24027 - Nembro (Bg) - Via Roma, 23	
Furnace ID	<b>F1</b>	Furnace Type	<b>CHAMBER FURNACE</b>
Furnace Chamber Dimensions		2800 x 3700 x 2300 H	
Furnace Working Zone (*)		1800 x 3200 x 1500 H	
Maximum Load Capacity		15 t	
Test Frequency	<b>ANNUAL</b>	Internal Test Procedure	<b>Procedura prova uniformità API 6D (IO-02)</b>

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6D, 25th Ed. - Annex H**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1240,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 3-Nov-2024

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required

	<input checked="" type="checkbox"/> Review
	<input type="checkbox"/> Witness
Date: 6. 11. 2023	Name: _____

Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S14

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2023-03

TUS REPORT : RP-2023-27

TEST DATE : 4-Nov-2023

Society		F.lli Gandossi Acciaierie Elettriche	
Head Office		24027 - Nembro (Bg) - Via Roma, 23	
Furnace ID	<b>F1</b>	Furnace Type	<b>CHAMBER FURNACE</b>
Furnace Chamber Dimensions		<b>2800 x 3700 x 2300 H</b>	
Furnace Working Zone (*)		<b>1800 x 3200 x 1500 H</b>	
Maximum Load Capacity		<b>15 t</b>	
Test Frequency	<b>ANNUAL</b>	Internal Test Procedure	<b>Procedura prova uniformità API 6A (IO-02)</b>

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6A, 21st Ed. - Annex M**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1240,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 3-Nov-2024

## NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required

	<input checked="" type="checkbox"/> Review
	<input type="checkbox"/> Witness
6.11. 2023	Name: _____

Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S14

24060 - Sovere (Bg) - Viale Delle Industrie, 1 - Phone (00)39-035-966500 - Fax (00)39-035-966550

[set.elti@gfelti.com](mailto:set.elti@gfelti.com)

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2023-03

TUS REPORT : RP-2023-27

TEST DATE : 4-Nov-2023

Society		F.Ili Gandossi Acciaierie Elettriche	
Head Office		24027 - Nembro (Bg) - Via Roma, 23	
Furnace ID	<b>F1</b>	Furnace Type	<b>CHAMBER FURNACE</b>
Furnace Chamber Dimensions		2800 x 3700 x 2300 H	
Furnace Working Zone (*)		1800 x 3200 x 1500 H	
Maximum Load Capacity		15 t	
Test Frequency	<b>ANNUAL</b>	Internal Test Procedure	<b>Procedura prova uniformità ASTM A991 (IO-04)</b>

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**ASTM A991M - 22**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1240,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 3-Nov-2024

## NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required

(\*\*) This TUS was conducted also in conformity to the Annex B requirements of Norsok M-650 4th ed.

	<input checked="" type="checkbox"/> Review
	<input type="checkbox"/> Witness
Date: 6.11.2023	Name: .....

Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S14

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2023-02

TUS REPORT : RP-2023-26

TEST DATE : 1-Nov-2023

Society		F.Ili Gandossi Acciaierie Elettriche	
Head Office		24027 - Nembro (Bg) - Via Roma, 23	
Furnace ID	<b>F2</b>	Furnace Type	<b>CHAMBER FURNACE</b>
Furnace Chamber Dimensions		2800 x 3700 x 2300 H	
Furnace Working Zone (*)		1800 x 3200 x 1500 H	
Maximum Load Capacity		15 t	
Test Frequency	<b>ANNUAL</b>	Internal Test Procedure	<b>Procedura prova uniformità API 6D (IO-02)</b>

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6D, 25th Ed. - Annex H**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1150,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 31-Oct-2024

## NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required

 IOV Italia	<input checked="" type="checkbox"/> Review
	<input type="checkbox"/> Witness
Date: 2023	Name: .....

Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S14

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2023-02

TUS REPORT : RP-2023-26

TEST DATE : 1-Nov-2023

Society		F.Ili Gandossi Acciaierie Elettriche	
Head Office		24027 - Nembro (Bg) - Via Roma, 23	
Furnace ID	<b>F2</b>	Furnace Type	<b>CHAMBER FURNACE</b>
Furnace Chamber Dimensions		<b>2800 x 3700 x 2300 H</b>	
Furnace Working Zone (*)		<b>1800 x 3200 x 1500 H</b>	
Maximum Load Capacity		<b>15 t</b>	
Test Frequency	<b>ANNUAL</b>	Internal Test Procedure	<b>Procedura prova uniformità API 6A (IO-02)</b>

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6A, 21st Ed. - Annex M**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1150,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 31-Oct-2024

## NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required

	<input checked="" type="checkbox"/> Review
	<input type="checkbox"/> Witness
Date: 2.11.2023	Name: .....

Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S14

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2023-02

TUS REPORT : RP-2023-26

TEST DATE : 1-Nov-2023

Society		F.lli Gandossi Acciaierie Elettriche	
Head Office		24027 - Nembro (Bg) - Via Roma, 23	
Furnace ID	<b>F2</b>	Furnace Type	<b>CHAMBER FURNACE</b>
Furnace Chamber Dimensions		<b>2800 x 3700 x 2300 H</b>	
Furnace Working Zone (*)		<b>1800 x 3200 x 1500 H</b>	
Maximum Load Capacity		<b>15 t</b>	
Test Frequency	<b>ANNUAL</b>	Internal Test Procedure	<b>Procedura prova uniformità ASTM A991 (IO-04)</b>

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**ASTM A991M - 22**

IN THE TEMPERATURE RANGE: 600,0 ÷ 1150,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 600,0 ÷ 900,0°C (± 8,0°C)

DECLARATION EXPIRY : 31-Oct-2024

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 500 mm high, are required

(\*\*) This TUS was conducted also in conformity to the Annex B requirements of Norsok M-650 4th ed.

	<input checked="" type="checkbox"/> Review
	<input type="checkbox"/> Witness
Date: 2.11.2023	Name: _____

Approved by:  
(GF-ELTI Srl)

JOB REF. : C/G4166S14

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2024-01

TUS REPORT : RP-2024-12

TEST DATE : 10-Feb-2024

Society		F.Ili Gandossi Acciaierie Elettriche	
Head Office		24027 - Nembro (Bg) - Via Roma, 23	
Furnace ID	<b>F3</b>	Furnace Type	<b>CHARIOT FURNACE</b>
Furnace Chamber Dimensions		<b>3130 x 5950 x 2300 H</b>	
Furnace Working Zone (*)		<b>2630 x 5450 x 1600 H</b>	
Maximum Load Capacity		<b>40 t</b>	
Test Frequency	<b>ANNUAL</b>	Internal Test Procedure	<b>Procedura prova uniformità API 6D (IO-02)</b>

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6D, 25th Ed. - Annex H**

IN THE TEMPERATURE RANGE: 550,0 ÷ 950,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 550,0 ÷ 750,0°C (± 8,0°C)

DECLARATION EXPIRY : 9-Feb-2025

## NOTES

(\*) The working zone is centered in the furnace. Basic supports, 280 mm high, are required



Approved by:  
(GF-ELTI Srl)

JOB REF. : E4005S18

## DECLARATION OF CONFORMITY

CERTIFICATE : GA-2024-01

TUS REPORT : RP-2024-12

TEST DATE : 10-Feb-2024

Society		F.lli Gandossi Acciaierie Elettriche	
Head Office		24027 - Nembro (Bg) - Via Roma, 23	
Furnace ID	<b>F3</b>	Furnace Type	<b>CHARIOT FURNACE</b>
Furnace Chamber Dimensions		3130 x 5950 x 2300 H	
Furnace Working Zone (*)		2630 x 5450 x 1600 H	
Maximum Load Capacity		40 t	
Test Frequency	<b>ANNUAL</b>	Internal Test Procedure	<b>Procedura prova uniformità API 6A (IO-02)</b>

THE FURNACE COMPLIES WITH THE REQUIREMENTS OF

**API 6A, 21st Ed. - Annex M**

IN THE TEMPERATURE RANGE: 550,0 ÷ 950,0°C (± 14,0°C)

IT CAN BE USED FOR TEMPERING, AGEING AND STRESS-RELIEVING  
IN THE TEMPERATURE RANGE: 550,0 ÷ 750,0°C (± 8,0°C)

DECLARATION EXPIRY : 9-Feb-2025

### NOTES

(\*) The working zone is centered in the furnace. Basic supports, 280 mm high, are required

JOB REF. : E4005S18



Approved by:  
(GF-ELTI Srl)